

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(terminal or DSL) same network same (multiplexer or DSLAM) same agent same (DHCP near1 server) same (forwarder or sender)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:59
S12	11	(network and (terminal or DSL) and (multiplexer or DSLAM) and agent and (DHCP near1 server) and (forwarder or sender))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:15
S16	2	"20030081614".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:51
S17	2	"6,301,229".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:53
S18	2	"20030061321".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:56
S19	2	"6,370,147".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:56
S20	175	(terminal or DSL) same (set\$4 or establish\$3) near1 connect\$3 with ISP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S21	12	S20 and (multiplexer or DSLAM) and (DHCP near1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:13
S23	8	S20 same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:17

S25	21	S20 and (DHCP near1 server)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:43
S33	81	S20 and @py<"2004"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:02
S34	1	09/934,305	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:51
S36	2	"7020720".did.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:57
S37	175	((terminal or DSL) same (set\$4 or establish\$3) near1 connect\$3 with ISP	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S38	175	S37	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S39	81	S37 and @py<"2004"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:26
S40	81	S39	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:21
S41	7	S40 and ATM	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:22
S42	224	Multiplexer with agent	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:37
S50	24	S42 and ISP	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:52

S51	224	Multiplexer with agent	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:52
S52	224	S51	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:53
S53	15	S52 same server	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:57
S54	2	"7058716".pn.	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:41
S55	2	"6829252".pn.	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:42
S56	2	"20040109477".did.	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:50
S57	2	"6971046".pn.	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:22
S58	9	queu\$5 status monitor\$5 and @ad<"20021204"	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:25
S59	0	queu\$5 status monitor\$5 and dsiam and @ad<"20021204"	US_PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:35

S60	0	queu\$5 status monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:36
S61	1	queu\$5 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:36
S62	0	queu\$5 status near12 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:39
S63	13	queu\$5 near12 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:39
S64	1485	(dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:12
S65	13	(dslam or digital subscriber line access multiplexer) and queu\$5 near12 monitor\$5 and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:12
S66	0	(dslam or digital subscriber line access multiplexer) and queu\$5 near12 monitor\$5 ad cogest\$5 and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:13
S67	0	(dslam or digital subscriber line access multiplexer) and queu\$5 near12 monitor\$5 and cogest\$5 and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:13
S68	0	(dslam or digital subscriber line access multiplexer) and queu\$5 near12 monitor\$5 and 370/229. ccis. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:31

S69	15	(dslam or digital subscriber line access multiplexer) and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:32
S70	96	compress\$5 same (respon\$5 near3 signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:17
S71	25	compress\$5 same (respon\$5 near3 signal or packet or data) and conges\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:18
S72	3	compress\$5 same respon\$5 near3 (signal or packet or data) and conges\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:21
S73	3	compress\$5 same (respon\$5 or acknowledge) near3 (signal or packet or data) and conges\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:25
S74	6	compress\$5 same (respon\$5 or acknowledge) near3 (signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:28
S75	103	compress\$5 same (signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:31
S76	28	compress\$5 same (signal or packet or data) and conges\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:32
S77	8	(compress\$5 same ((respon\$5 or ack or acknowledge\$5) near3 (signal or packet or data))) and 370/229.ccls. and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:08

S78	3	(compress\$5 same ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and multiplex\$5 and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:09
S79	891	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:16
S80	86	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:16
S81	71	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) near8 multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:17
S82	44	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) near8 multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:18
S83	3	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) near8 multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:18
S84	6	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:21
S85	19	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) with multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:23

S86	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and "370"/\$.cls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:30
S87	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:31
S88	85	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:31
S89	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) same multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S90	24	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S91	9	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) and "370"/\$.cls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S92	15	(compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) near8 multiplex\$5 and "370"/\$.cls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:25
S93	0	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data)))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:28
S94	15	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data)))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:29

S95	66	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:34
S96	48	(receiver near3 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:34
S97	45	(receiver near2 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:37
S98	0	(compress\$5 near4 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:44
S99	0	(compress\$5 near5 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S100	816	(compress\$5 near6 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S101	2516	(compress\$5 near3 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S102	28	(compress\$5 near3 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) same (top or transmis\$5 control protocol) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:46
S103	2	"20040109477".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 16:43

S104	1850	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5) and "370"/\$cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:18
S105	272	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5) and "370"/229-240.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:20
S106	194	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near3 (buffer or hold\$5 or compress\$5) and "370"/229-240.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:21
S107	152	((respon\$5 or ack or acknowledg\$5) near2 (signal or packet or cell or frame or data)) near3 (buffer or hold\$5 or compress\$5) and "370"/229-240.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:21
S108	146	((respon\$5 or ack or acknowledg\$5) near2 (signal or packet or cell or data)) near3 (buffer or hold\$5 or compress\$5) and "370"/229-240.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:21
S109	137	((respon\$5 or ack or acknowledg\$5) near2 (signal or packet or data)) near3 (buffer or hold\$5 or compress\$5) and "370"/229-240.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/22 16:22
S110	10	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5) near3 (signal or packet or data or ack or acknowledgement or response))) and 370/229-236,412-417.ccls. and @ad<"20021204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/25 15:19
S111	33	(receiver or sink or destinat\$5) with ((compress\$5 or compact\$5) near3 (signal or packet or data or ack or acknowledgement or response)) and 370/229-236,412-417.ccls. and @ad<"20021204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/25 15:26
S112	5	((ack or acknowledgement or response) near2 (signal or packet or data)) near2 compress\$5 and 370/229-236,412-417.ccls. and @ad<"20021204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/25 15:54

S113	7	((ack or acknowledgement) near2 compress\$5) and 370/229-236,412-417.ccls. and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/25 15:57
S114	42	((ack or acknowledgement) near2 compress\$5) and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/25 16:09
S115	7	(compress\$5 near2 (ack or acknowledgement)) and 370/229-236,412-417.ccls. and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 08:13
S116	26	(compress\$5 near2 (ack or acknowledgement)) and "370"/\$.ccls. and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 08:19
S117	42	(compress\$5 near2 (ack or acknowledgement)) and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 08:30
S118	131	((compress\$5 or hold\$5) near2 (ack or acknowledgement)) and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 09:15
S119	0	((transmitter or sender or source) near4 ((send\$5 or predict \$5 or inform\$5) near3 (congest \$5 or block\$5, jamm\$5 or bottleneck))) with ((receiv\$5 or sink) near4 ((compress\$5 or hold \$5) near2 (ack or acknowledgement))) and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 09:40
S120	2	((transmitter or sender or source) near4 ((send\$5 or predict \$5 or inform\$5) near3 (congest \$5 or block\$5, jamm\$5 or bottleneck))) and ((receiv\$5 or sink) near4 ((compress\$5 or hold \$5) near2 (ack or acknowledgement))) and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad<"20021204"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/26 09:40

S121	445	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) and 370/229-236,412-417.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:48
S122	39	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) same congest\$5 and 370/229-236,412-417.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:49
S123	11	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) same (congest\$5 near3 (control\$5 or adjust\$5)) and 370/229-236,412-417.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:50
S124	93	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) and 370/229-236,412-417.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:50
S125	11	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) same multiplex\$5 and 370/229-236,412-417.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:51
S126	14	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) near6 (buffer or hold\$5 or compress\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) same multiplex\$5 and 370/229-236,412-417,532,535,537,916.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:51
S127	0	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 same (buffer or hold\$5 or compress\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) same multiplex\$5 and 370/229-236,412-417,532,535,537,916.ccls. and @ad< "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:58

S128	0	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 and (buffer or hold\$5 or compress\$5) and (congest\$5 near3 (control\$5 or adjust\$5) and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:59
S129	0	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 and (buffer or hold\$5 or compress\$5) and (congest\$5 near3 (control\$5 or adjust\$5) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:59
S130	1	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 and (buffer or hold\$5 or compress\$5) and (congest\$5 near3 (control\$5 or adjust\$5) and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 08:59
S131	0	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 and ((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and (congest\$5 near3 (control\$5 or adjust\$5) and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:13
S132	0	((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or cell or frame or data)) multiplex\$5 and ((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:14
S133	103	((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5) and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:15
S134	9	((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and ((respon\$5 or ack or acknowledg\$5) near3 multiplex\$5 and 370/229-236,412-417,532,535,537,916.cds. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:16

S135	374	((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and ((respon\$5 or ack or acknowledg\$5) near3 multiplex\$5) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:23
S136	57	((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and ((respon\$5 or ack or acknowledg\$5) near3 multiplex\$5) and ("370"/\$.cols. or "455"/\$.cols. or "709"/\$.cols.) and @ad<"20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/08/31 09:24
S137	2	((respon\$5 or ack or acknowledg\$5) near3 (hold\$5 or compress\$5)) and ((respon\$5 or ack or acknowledg\$5) near3 multiplex\$5) and 370/229-236.cols. and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:16
S138	0	(receiver near3 ((hold\$5 or compress\$5) near3 acknowledg\$5)) near4 (congest\$5 near3 (control\$5 or adjust\$5)) and 370/229-240.cols. and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:17
S139	1	(receiver near3 ((hold\$5 or compress\$5) near3 acknowledg\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) and 370/229-240.cols. and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:18
S140	2	(receiver near3 ((hold\$5 or compress\$5) near3 acknowledg\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:26
S141	2	(receiver near3 ((hold\$5 or compress\$5) near3 (respos\$5 or ack or acknowledg\$5))) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:29
S142	2	(receiver near3 (hold\$5 or compress\$5) same (respos\$5 or ack or acknowledg\$5)) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:30
S143	11	(receiver near3 (hold\$5 or compress\$5)) and (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<="20021204"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:30

S144	0	(receiver near3 (hold\$5 or compress\$5)) with (respos\$5 or ack or acknowledg\$5) with (congest\$5 near3 (control\$5 or adjust\$5)) and 370/229-240. ccls. and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:41
S145	0	(receiver near3 (hold\$5 or compress\$5)) with (respos\$5 or ack or acknowledg\$5) with (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:41
S146	2	(receiver near3 (hold\$5 or compress\$5)) with (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:42
S147	11	(receiver near3 (hold\$5 or compress\$5)) and (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:42
S148	11	(receiver near4 (hold\$5 or compress\$5)) and (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:42
S149	2	(receiver near4 (hold\$5 or compress\$5)) same (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:42
S150	2	((receiver or sink or destinat\$5) near3 (hold\$5 or compress\$5)) same (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:43
S151	44	((receiver or sink or destinat\$5) near3 (hold\$5 or compress\$5)) and (respos\$5 or ack or acknowledg\$5) and (congest\$5 near3 (control\$5 or adjust\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:44
S152	50	((receiver or sink or destinat\$5) near3 (hold\$5 or compress\$5)) same (respos\$5 or ack or acknowledg\$5) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:47

S153	30	((receiver or sink or destinat\$5) near3 (hold\$5 or compress\$5)) with (respos\$5 or ack or acknowledg\$5) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 12:47
S154	8	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 15:19
S155	4	((receiver or sink or destinat\$5) near3 ((hold\$5 or compress\$5) near3 (ack or respos\$5 or acknowledg\$6))) same (compress\$5 near4 (respos\$5 or ack or acknowledg\$5)) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 15:26
S156	8	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and @ad<= "20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 15:30
S157	13	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and (@ad<= "20021204" or @rlad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:23
S158	13	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and (@ad<= "20021204" or @rlad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:35
S159	0	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) packet and (@ad<= "20021204" or @rlad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:37
S160	9	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) same packet and (@ad<= "20021204" or @rlad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:37
S161	13	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) same compress\$3 and (@ad<= "20021204" or @rlad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:37

S162	14	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) same compress\$3 and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:39
S163	10	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and (compress\$3 near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:41
S164	11	((receiver or sink or destinat\$5) near3 ((compress\$5 or delay\$5) near4 (respos\$5 or ack or acknowledg\$5))) and (compress\$3 near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:46
S165	11	((receiver or sink or destinat\$5) near3 ((compress\$5 or delay\$5 or compact\$5) near4 (respos\$5 or ack or acknowledg\$5))) and (compress\$3 near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:47
S166	14	((receiver or sink or destinat\$5) near3 (compress\$5 near4 (respos\$5 or ack or acknowledg\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:51
S167	14	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5) near4 (respos\$5 or ack or acknowledg\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:52
S168	86	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5) near4 (respons\$5 or ack or acknowledg\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:54

S169	51	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5) near4 (respons\$5 or ack or acknowledg\$5))) and (compress\$3 near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:55
S170	41	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5) near4 (respons\$5 or ack or acknowledg\$5))) same (compress\$3 near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:55
S171	133	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) same ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:59
S172	129	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) with ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:59
S173	82	((receiver or sink or destinat\$5) near3 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) near8((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 16:59

S174	64	((receiver or sink or destinat\$5) near2 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5)) near8((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:00
S175	63	((receiver or sink or destinat\$5) near2 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5)) near4 ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:00
S176	58	(receiver near2 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledged\$5)) near4 ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:01
S177	0	(receiver near2 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledged\$5)) same ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and 370/229-240.cds. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:07
S178	0	((receiver or sink or destination) near2 ((compress\$5 or compact\$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledged\$5)) same ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and 370/229-240.cds. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:08

S179	1	((receiver or sink or destination) near2 ((compress\$5 or compact \$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) and ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and 370/229-240.ccls. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:08
S180	29	((receiver or sink or destination) near2 ((compress\$5 or compact \$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) and ((compress\$3 or multiplex\$5) near3 (ack or respons\$5 or acknowledgement)) and "370"/\$. ccls. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:08
S181	38	((receiver or sink or destination) near2 ((compress\$5 or compact \$5 or multiplex\$5) near4 (respons\$5 or ack or acknowledg\$5))) and "370"/\$. ccls. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:17
S182	12	((receiver or sink or destination) near2 ((compress\$5 or compact \$5) near4 (respons\$5 or ack or acknowledgement\$5))) and "370"/\$. ccls. and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:20
S183	73	((receiver or sink or destination) near2 ((compress\$5 or compact \$5) near4 (respons\$5 or ack or acknowledgement\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:21
S184	50	((receiver or sink or destination) near2 ((compress\$5 or compact \$5) near3 (respons\$5 or ack or acknowledgement\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:21

S185	50	(receiver near3 (compress\$5 near3 (ack or respons\$5 or acknowledg\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:41
S186	5	(receiver near3 (compress\$5 near3 (ack or respons\$5 or acknowledg\$5))) and top and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:42
S187	21	((receiver near3 ((compress\$5 or multiplex\$5 or reduc\$5) near3 (ack or respons\$5 or acknowledg\$5))) and top and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 17:44
S188	27	((receiver or sink or destination) near3 ((compress\$5 or multiplex\$5 or reduc\$5) near3 (ack or respons\$5 or acknowledg\$5))) and top and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/12 18:06
S189	224	((receiver or sink or destination) near3 ((compress\$5 or multiplex\$5 or reduc\$5) near2 (ack or respons\$5 or acknowledg\$5))) and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/13 08:30
S190	6	((receiver or sink or destination) near3 ((compress\$5 or multiplex\$5 or reduc\$5) near2 (ack or respons\$5 or acknowledg\$5))) same top and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/13 08:57
S191	6	((receiver or sink or destination) near3 ((compress\$5 or multiplex\$5 or reduc\$5 or "hold\$5") near2 (ack or respons\$5 or acknowledg\$5))) same top and (@ad<= "20021204" or @lad<= "20021204" or @prad<= "20021204")	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/13 08:58

S192	19	((receiver or sink or destination) near3 ((compress\$5 or multiplex\$5 or reduc\$5 or "hold\$5") near2 (ack or respons\$5 or acknowledg\$5))) and tcp and (@ad<="20021204" or @lad<="20021204" or @prad<="20021204")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/09/13 09:00
------	----	--	---	-----	-----	---------------------

9/17/2010 3:11:42 PM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10718692.wsp